

English
Company stamp

Folding frame wheelchair

Date

User name

Responsible

FEATURES

Weight in lighter configuration LS 36 - PS 40 from 12,2Kg

Casters 3" Sport - Rear wheels 24" ULTRA-LIGHT PROGEO KEY SPORT - Handrim aluminium - Tyre high pressure tyre - Carbon fibre mudguard.



Weight in standard configuration LS 36 - PS 40 from 12,9Kg

Wheelchair measures

Seat width (LS)	<input type="checkbox"/> 36 <input type="checkbox"/> 39 <input type="checkbox"/> 42 <input type="checkbox"/> 45	
Seat depth (PS)	<input type="checkbox"/> 35 <input type="checkbox"/> 37,5 <input type="checkbox"/> 40 <input type="checkbox"/> 42,5 <input type="checkbox"/> 45 <input type="checkbox"/> 47,5	<u>See note (1)</u>
Footplate distance (DP)	(Real distance between seat and footplate)	<u>See reference tables N4</u>
Backrest Height (TS)	Std.Value 33,5	<u>See reference tables N5</u>
Backrest rake adjustable from	-4° to +12°	
Setting	<input checked="" type="checkbox"/> Standard <input type="checkbox"/> Prudential <input type="checkbox"/> Active	
Rear wheel camber	<input checked="" type="checkbox"/> 0° <input type="checkbox"/> 2°	
Front height	(STD 49) - Rear height	(STD 43) <u>See reference tables N1 - N2</u>

Frame aluminium

☆ Aluminium frame	<input checked="" type="checkbox"/> 100°			
	<input type="checkbox"/> 90° (max 5" caster)			
Colour Frame				
<input type="checkbox"/> Polished black	<input type="checkbox"/> Bright silver	<input type="checkbox"/> Bright red	<input type="checkbox"/> Bright blue	<input type="checkbox"/> Bright fuchsia
<input type="checkbox"/> Bright orange	<input type="checkbox"/> Bright blue china	<input type="checkbox"/> Bright lime	<input type="checkbox"/> Bright anthracite	<input type="checkbox"/> Pearl white

Colour set: Rear wheels and forks

☆ Polished black	22" 24" 25" 26"	
<input type="checkbox"/> Bright silver	22" 24"	00833
<input type="checkbox"/> Bright anthracite	24"	00833
<input type="checkbox"/> Bright orange	22" 24"	00833
<input type="checkbox"/> Bright fuchsia	22" 24"	00833
<input type="checkbox"/> Bright blue	22" 24"	00833
<input type="checkbox"/> Bright red	22" 24"	00833
<input type="checkbox"/> Bright lime	22" 24"	00833
To be matched only with: Rear wheels Ultra-light Progeo - Standard!		

Price

Casters

☆ 4" Soft		
<input type="checkbox"/> 3" Sport		
<input type="checkbox"/> 4" Active Sport (narrow)	(Aluminium alloy rim)	01398
<input type="checkbox"/> 4" Active Soft (large)	(Aluminium alloy rim)	03943
<input type="checkbox"/> 5" Soft	(Aluminium alloy rim)	
<input type="checkbox"/> 6" Soft	(Available only with 100° angle)	
<input type="checkbox"/> 6" Pneumatic	(Available only with 100° angle)	

Price

Rear wheels - See chart N3

☆ 24" Ultra-light Progeo - Standard!			
<input type="checkbox"/> 24" ULTRA-LIGHT PROGEO KEY SPORT	04383		
Weight reduction approx. 450gr.			
<input type="checkbox"/> 22" Ultra-light Progeo - Standard!			
<input type="checkbox"/> 26" Ultra-light Progeo - Standard!			
<input type="checkbox"/> 24" Ultra-light "Spinergey LX"			01685
<input type="checkbox"/> 24" Ultra-light "Spinergey Flex rim"			02270
<input type="checkbox"/> 25" Ultra-light "Spinergey LX"			02101
<input type="checkbox"/> 26" Ultra-light "Spinergey LX"			02102
<input type="checkbox"/> 24" Off-road			01392

Price

Handrim - Wheel distance

3 cm 4 cm

☆ Aluminium (22"-24"-25"-26")		
<input type="checkbox"/> Chromed Steel (24"-25")	(Not available with Spinergey)	01684
<input type="checkbox"/> Titanium (24"-25")		00016
<input type="checkbox"/> Ultra Grepp (24"-25")		00017
<input type="checkbox"/> Max Grepp (24"-25")		00834
<input type="checkbox"/> Ergo Para (24")		00632
<input type="checkbox"/> Dual Grepp (24"-25")		00018
<input type="checkbox"/> Quad (24")		00693
<input type="checkbox"/> Silicon cover for standard aluminium handrim	Available for measures (22"-24")	04050

Price

Rear wheel tyre - See chart N3

☆ High pressure tyre (22"-24"-25"-26")		
<input type="checkbox"/> High pressure profile tyre (24")		
<input type="checkbox"/> Marathon Plus (24") with anti-puncture protection		01669
<input type="checkbox"/> Kik tyre Mako (24")		
Colour	<input checked="" type="checkbox"/> Black <input type="checkbox"/> Grey <input type="checkbox"/> Red <input type="checkbox"/> Blue	
	01041 01751 01750 01752	

Price

Wheel locks

☆ Bent lever push to lock		<input type="checkbox"/> Brake with extension lever push to lock		01949
<input type="checkbox"/> Straight lever		<input type="checkbox"/> Brake with extension lever pull to lock		03372
<input type="checkbox"/> Push to lock				
<input type="checkbox"/> Pull to lock				

English

Date Order User name Address

Footplate (1) - See chart N°4

Price


☆ Automatic Closure footplate
(Minimum height 32 cm.)
 Internal ☆ 2/3 Internal External

 NEW!!! Multi-function and rotative system
rake and depth adjustable
Minimum height 25 cm.




03945


One piece footplate - Flip-up!
 Internal ☆ 2/3 Internal External
rake and depth adjustable



One piece aluminium footplate - Flip-up!
 Internal ☆ 2/3 Internal
 2/3 External External
rake and depth adjustable



One piece Carbon fibre footplate
 Internal External
rake adjustable, swing away, flip-up.




03291

Footplate (2) - See chart N°4


Price

Plastic footrest
rake adjustable



Warning!! Need lower-leg-support bend(depth adjustable) and standard fork-support

Weight increase approx. 500gr.



Mudguard

Price

☆ ABS mudguard
 Straight sideguard

Carbon fibre mudguard
 Removable mudguard

03946

03960

Optional (1)

Price

Transit wheels 00836




 Anti-tippers with rapid hookup
(inside rotation to reduce the encumbrance)
 Right 00023
 Left 00024

 Push handles for companion
(Removable and height adjustable) 01048

 Swing away armrests
(Swing away, removable and height adjustable armrest)
 Ergonomic pad (30x6 cm.) 04104

 Tipping aid
 Right 00025
 Left 01046

 Spoke guards Black (22"-24") 01043
 Spoke guards Transparent (22"-24") 00835
 Spoke guards Progeo design (22"-24") 00019
 Spoke guards Dragon (22"-24") 02106



Available Kit

Price

24" Off-road rear wheels (only with aluminium handrim) 03378

Optional (2)

Price

Crutches support
 Right 00838
 Left 00837

 Backrest with folding handles 02958

 Tetraclip
(Quick release axle for quadriplegic) 03947



 Safety pelvic belt 03972

 Harness 04103

 Quick release front forks 00030

 Lumbar support
(to insert in the backrest upholstery) 00013

 Swing away lateral support
 Right 02097
 Left 02098



RehaTEAM s.r.l. Vicolo Negrelli, 4 - 31040 Castagnole di Paese (TV) - Tel. +39.0422.484657 / +39.0422.480387 - Fax +39.0422.484661 / +39.0422.484684
P.IVA IT 03182520266 - C.C.I.A.A. TV n.225867 - Iscr.Trib. TV n.41690 Capitale Sociale I.V. Euro 100.000,00




Email: progeo@rehaeamprogeo.com - web: http://www.rehaeamprogeo.com

Type Approve TÜV - TÜV Rheinland Italia Certified company normative UNI EN ISO 9001

Important notice! Send this page

REFERENCE TABLES

(1) The real seat depth, from the front part of the seat cloth to the backrest tube will be 2 cm more than the declared one.

1	Front height			
	FORK	Casters		
	3"	4"	5"	6"
SMALL 	min 43	min 44	min 46	
	max 44	max 45		
MEDIUM 	min 46	min 46	min 46	min 46
	max 47	max 48	max 49	max 51
LONG 	min 49	min 49	min 49	min 49
	max 50	max 51	max 52	max 53

The size of the fork will be defined only by Rehateam Progeo in accordance with wheelchair final configuration.

2	Rear height		
	Rear wheels		
	24"	25"	26"
H min	41	42	43
H max	49	50	51

3	Rear wheels		
	Model	Features	Handrim and tyre
	24" ULTRA-LIGHT PROGEO KEY SPORT	(silver hub, black rim and 16 spokes)	(all handrim and tyre)
	24" Ultra-light Progeo - Standard!	(available for all colours)	(all handrim and tyre)
	24" Ultra-light "Spinergy LX"	(silver hub, black rim and spokes)	(all handrim and tyre)
	24" Ultra-light "Spinergy Flex rim"	(silver hub, black rim and spokes)	(integrated aluminium/rubber handrim - encumbrance reduction up to 3cm. - all tyre)
	24" Off-road	(colour: black)	(aluminium handrim - tyre Off-road)
	25" Ultra-light "Spinergy LX"	(silver hub, black rim and spokes)	(all handrim but tyre and only with high pressure tyre)
	26" Ultra-light Progeo - Standard!	(colour: black)	(aluminium handrim and high pressure tyre)
	26" Ultra-light "Spinergy LX"	(silver hub, black rim and 18 spokes)	(aluminium handrim and high pressure tyre)

4	Footplate option	Footplate distance
	Automatic Closure footplate	min. 32 max 54
	Plastic footrest	min. 32 max 54
	One piece footplate - Flip-up!	min. 32 max 54
	One piece aluminium footplate - Flip-up!	min. 32 max 54
	One piece Carbon fibre footplate	min. 32 max 54
IMPORTANT NOTICE! From the footplate to the floor minimum 4cm.!! (Minimum Front height = DP + 4 cm.).		
NOTE! Lower footplate distances are possible only after our valuation		

5	Backrest height
	min. 24.5 max 47
	Adjustable every 1,5cm.

Note

Important notice! - Send this page only if any note is reported